

Supplementary Table 2. Distribution of spasticity

| Tardieu scale (%) | All (n= 105) | Light (n= 16) | Moderate (n= 49) | High (n= 40) |
|--------------------|------------------|-------------------|------------------|------------------|
| | 0, 1, 2, 3, 4 | 0, 1, 2, 3, 4 | 0, 1, 2, 3, 4 | 0, 1, 2, 3, 4 |
| Hip | | | | |
| Flexors | 90, 3, 4, 0, 0 | 97, 3, 0, 0, 0 | 91, 4, 5, 0, 0 | 86, 1, 4, 0, 0 |
| Abductors | 92, 2, 5, 0, 0 | 100, 0, 0, 0, 0 | 90, 3, 7, 0, 0 | 91, 3, 5, 0, 0 |
| Adductors | 85, 6, 9, 0, 0 | 97, 3, 0, 0, 0 | 86, 5, 9, 0, 0 | 80, 8, 13, 0, 0 |
| Knee | | | | |
| Flexors | 80, 4, 15, 0, 0 | 84, 3, 13, 0, 0 | 82, 2, 15, 1, 0 | 76, 6, 16, 0, 0 |
| Extensors | 77, 12, 10, 0, 0 | 88, 6, 6, 0, 0 | 71, 12, 13, 0, 0 | 78, 14, 6, 0, 0 |
| Ankle | | | | |
| Sural triceps | 39, 6, 35, 14, 3 | 31, 6, 44, 13, 6 | 32, 8, 40, 16, 3 | 51, 4, 28, 13, 3 |
| Soleus | 31, 5, 36, 24, 2 | 19, 16, 41, 25, 0 | 27, 5, 43, 21, 3 | 43, 1, 26, 26, 3 |
| Anterior tibialis | 99, 0, 0, 0, 0 | 100, 0, 0, 0, 0 | 99, 0, 0, 0, 0 | 98, 0, 1, 0, 0 |
| Posterior tibialis | 64, 1, 19, 13, 2 | 84, 9, 6, 0, 0 | 63, 2, 18, 13, 3 | 58, 0, 24, 16, 1 |
| Fibulars | 98, 0, 1, 0, 0 | 97, 0, 3, 0, 0 | 97, 1, 2, 0, 0 | 99, 0, 0, 0, 0 |